

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

	· ·	· · · · · · · · · · · · · · · · · · ·		<u>'</u>
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/597,403	06/21/2000	Takahiro Moro	00862.021931.	7168
5514 FITZPATRICK	7590 06/26/2007 CELLA HARPER & SC	EXAMINER		
30 ROCKEFELLER PLAZA NEW YORK, NY 10112			BRINICH, STEPHEN M	
			ART UNIT	PAPER NUMBER
			2625	
			MAIL DATE	DELIVERY MODE
	•		06/26/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Supplemental Notice of Allowability

Application No.	Applicant(s)	
09/597,403	MORO ET AL.	
Examiner	Art Unit	
Stephen M. Brinich	2625	

	Stephen M. Brinich	2625	
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	plication. If not include will be mailed in due	ed course. THIS
1. This communication is responsive to <u>IDS filed 5/17/07, 5/2.</u>	<u>2/07</u> .		
2. ☑ The allowed claim(s) is/are <u>87-110</u> .			
 Acknowledgment is made of a claim for foreign priority una a)	been received. been received in Application No cuments have been received in this rece	national stage applica	
 4. A SUBSTITUTE OATH OR DECLARATION must be submitinformal patent application (PTO-152) which give 5. CORRECTED DRAWINGS (as "replacement sheets") must 	es reason(s) why the oath or declara		OTICE OF
(a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or in the O	mice action of	
Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in the	84(c)) should be written on the drawin ne header according to 37 CFR 1.121(c	ngs in the front (not the	back) of
6. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT I	SIT OF BIOLOGICAL MATERIAL INFORTHE DEPOSIT OF BIOLOGICA	nust be submitted. N AL MATERIAL.	lote the
. Adda above and/a)	·		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal Page	atent Application	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. Interview Summary	(PTO-413),	
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Date 7. ☐ Examiner's Amendm	e nent/Comment	
Paper No./Mail Date <u>5/17/07</u> , <u>5/22/07</u> 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Stateme	nt of Reasons for Allo	wance

Art Unit: 2625

DETAILED ACTION

Information Disclosure Statement

1. The information disclosure statement (IDS) submitted on 5/17/07 (and the update/substitute IDS submitted on 5/22/07) has been considered by the examiner.

Conclusion

2. Any inquiry concerning the contents of this communication or earlier communications from the examiner should be directed to Stephen M. Brinich at 571-272-7430.

Any inquiry relating to the status of this application or proceeding or any inquiry of a general nature concerning application processing should be directed to the Tech Center 2600 Customer Service center at 571-272-2600 or to the USPTO Contact Center at 800-786-9199 or 571-272-1000.

The examiner can normally be reached on weekdays 8:00-5:30, alternate Fridays off.

The examiner's unit designation has been changed from "Art Unit 2624" to "Technology Division 2625" (as of March 20, 2006).

If attempts to contact the examiner and the Customer Service Center are unsuccessful, supervisor David Moore can be contacted at 571-272-7437.

Application/Control Number: 09/597,403

Art Unit: 2625

Faxes pertaining to this application should be directed to the Tech Center 2600 official fax number, which is 571-273-8300 (as of July 15, 2005).

Hand-carried correspondence may be delivered to the Customer Service Window, located at the Randolph Building, 401 Dulany Street, Alexandria, VA 22314.

Stephen M Brinich Examiner Technology Division 2625

Page 3

smb **Swb** June 11, 2007

> TUDINAS D LEE